To the S, E. corner of S W. qr of same 168½ Poles

New witness trees made at the eastern ½ day
mile post of Section No 11 T 10 R 1 E
Lynn 12 inches in diameter N 6° W 17 lks distant
Poplar 86 " " " N 83° E 25 " "

May 28 A D 1856

Ran the following lot of land for Eben
Newton in Section No 11 township No 10 north
of Range No 1 East Beginning at the eastern
½ mile post of Said Section No 11 Thence west
80 Poles to a Stone witness tree
Black Ash 10 inches in diameter S 85° W 12 lks dist
Elm 24 " " " N 82° W 14 " "
Then north 80 Poles 7 lks to a Stone witness tree
Black gum 18 inches in diameter S 77° E — lks dist
Gum 3 " " " S 87° W 48 " "

Then east 80 Poles to a Stone witness tree
Hickory 6 inches in diameter S 39½° W 21 lks dist
" 7 " " " S 81½° E 12 " "
Then South 80 Poles 7 lks to the beginning

Chain bearers James Robins & Elias Hardin
Sworn May 20th 1856

James M Spencer
Mc Surveyor

John T Hardin Elias Hardin and Mr
Lynk interested in the above Survey

May 20th 1856

Ran the following lot of
land in Section No 28 T 10 R 1 E for
John T Henderson beginning at the eastern ½
mile stake of Said Section witness tree
Beech 18 inches in diameter S 81° E 28½ links dist
" 12 " " " S 27½° E 28½ " "
Then west 167 Poles 19 links to a Stone wit tree
Black Ash 8 inches in diameter S 61° E 7½ lks dist
chestnut oak 10 " " " N 39 W 18 " "
Thence north 174 Poles and 4 links to the northern
½ mile post of Said Section No 28 witness tree
Beech 20 inches in diameter N 64° E 17½ lks dist
" 24 " " " S 18° W 38 " "
Thence east 167 Poles 19 links to the N E corner
of Said Section No 28 witness tree

Sugar 15 inches in diameter S 44½° E 23 lks dist
" 20 " " " N 83½° W 45 " "
Then South with the Section line to
the place of beginning
James Robins Chain bearer Sworn
the other chainbearer not recollected

James W Spencer
M C Surveyor

May 20th A D 1836
Ran the following lot of land
in Section No 28 T 10 R 4 East for Eben
Newton of Ohio beginning at the northern
half mile post of said Section No 28
Beech 20 inches in diameter N 54½° E 19 lks dist
" 24 " " " S 18° W 63 " "
Then South 174 Poles and 4 lks to the
center of said Section No 28 witness Trees
Black Ash 8 inches in diameter [illegible]
Chestnut oak 10 " " " N 35° W 18 " "
Then west 88 Poles and 22 links to a Stone
witness trees Beech 20 inches in diameter S 55° W 14 lks dist
Beech 15 " " " N 88° E 37½ " "
Then north 176 Poles and 18 links
to a Stone witness trees
Beech 12 inches in diameter S 8½° W 20½ lks dist
" 20 " " " N 85° E 38 " "
Then east 88 Poles and 22
links to the place of
beginning

James Robins Chain
bearer Sworn the other
Chain bearer name not recollected

James W Spencer
Monroe County Surveyor

Sugar 15 inches in diameter S 44½° E 23 lks dist
" 20 " " " N 83½° W 45 " "
Then South with the Section line to
the place of beginning
James Robins Chain bearer Sworn
the other chainbearer not recollected

James W Spencer
M C Surveyor

May 20th A D 1836
Ran the following lot of land
in Section No 28 T 10 R 4 East for Eben
Newton of Ohio beginning at the northern
half mile post of said Section No 28
Beech 20 inches in diameter N 54½° E 19 lks dist
" 24 " " " S 18° W 63 " "
Then South 174 Poles and 4 lks to the
center of said Section No 28 witness Trees
Black Ash 8 inches in diameter [illegible]
Chestnut oak 10 " " " N 35° W 18 " "
Then west 88 Poles and 22 links to a Stone
witness trees Beech 20 inches in diameter S 55° W 14 lks dist
Beech 15 " " " N 88° E 37½ " "
Then north 176 Poles and 18 links
to a Stone witness trees
Beech 12 inches in diameter S 8½° W 20½ lks dist
" 20 " " " N 85° E 38 " "
Then east 88 Poles and 22
links to the place of
beginning

James Robins Chain
bearer Sworn the other
Chain bearer name not recollected

James W Spencer
Monroe County Surveyor